

# MANUFACTURER AND EXPORTER OF VETERINARY ORTHOPEDIC IMPLANTS AND INSTRUMENTS



## STAR FORCE INDUSTRY.

KASHMIR ROAD PACCA GARHA  
SIALKOT 51310 PAKISTAN.

TEL: +92-52-4352265  
CEL: +92-321-6144001  
G-MAIL: STARFORCEIND@GMAIL.COM

PRODUCT CATALOG

## BRIEF INTRODUCTION

We Feel Pleasure to Introduce the Comprehensive range of unconditionally Guaranteed Surgical, Dental & veterinary orthopedic Implants and Instruments Manufactured by High Skilled and Experienced Crafts men according to Standard Specification. Our Instruments are made from Finest Quality Stainless Steel on Precision Security, Accuracy, and Of Pattern and with latest Technology. We also manufacture the similar Instruments according To the Samples and Drawing on the Special Demand of Our Valued Customer. We Offers Quickest Delivery Time and most Reasonable Prices.

Thanking You and Assuring You of our Best Services.

### STAR FORCE INDUSTRY.

Ahsan Yousaf



## PRODUCT CONTENT


01

Veterinary Orthopedic Trauma Implants and Instruments



28

General Orthopaedic Instruments



38

Veterinary Orthopedic External Fixation System



41

Orthopedic Power Tools System



43

General Surgery Instruments



47

Dentistry Instruments



## 1.6mm Reconstruction Locking Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0011630	1.2/3.5/135	30Holes	Pure Titanium
AA0011626	1.5/4.2/130	26Holes	

Note: Used with 1.6 locking screw and 1.3 cortical screw.

## 2.4mm Reconstruction Locking Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0012443	1.8/5/234.5	43Holes	Pure Titanium
AA0012434	2/6.5/238	34Holes	

Note: Used with 2.4 locking screw and 1.3 cortical screw.

## 3.2mm Reconstruction Locking Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0013226	2.5/7.5/234	26Holes	Pure Titanium
AA0013222	3/8.5/220	22Holes	

Note: Used with 3.2 locking screw and 2.4 cortical screw.

## 4.0mm Reconstruction Locking Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0014020	3.5/10/240	20Holes	Pure Titanium
AA0014018	4/11.5/234	18Holes	

Note: Used with 4.0 locking screw and 2.7 cortical screw.

## 1.6mm T Type Locking Plate



Product Code	Head Width / Width / Length	Specification	Material
AA0021601	8/3.5/30	2+5Holes	Pure Titanium
AA0021602	9/4.2/33	2+5Holes	
AA0021603	7/4.2/34	3+5Holes	
AA0021604	6.5/3.5/31	3+5Holes	

Note: Used with 1.6 locking screw and 1.3 cortical screw.

## 2.4mm T Type Locking Plate



Product Code	Head Width / Width / Length	Specification	Material
AA0022401	11/5/38	2+5Holes	Pure Titanium
AA0022402	13/6.5/48	2+5Holes	
AA0022403	9/5/29	3+5Holes	

Note: Used with 2.4 locking screw and 1.3 cortical screw.

## 3.2mm T Type Locking Plate



Product Code	Head Width / Width / Length	Specification	Material
AA0023201	16/7.5/59	2+5Holes	Pure Titanium
AA0023202	19/8.5/68	2+5Holes	

Note: Used with 3.2 locking screw and 2.4 cortical screw.

## 1.1mm T Type Plate(A Series)



Product Code	Thickness / Width / Length	Specification	Material
AA0031101	1.0/3/16	2+3H, 2+3Holes	Pure Titanium
AA0031102	1.0/3/20	2+4H, 2+4Holes	
AA0031103	1.0/3/24	2+5H, 2+5Holes	

Note: A series plate head to shaft distance is 4.6mm, used with 1.1mm cortical screw.


## 1.1mm T Type Plate(B Series)



Product Code	Thickness / Width / Length	Specification	Material
AA0041101	1.0/3/18	2+3Holes	Pure Titanium
AA0041102	1.0/3/22	2+4Holes	
AA0041103	1.0/3/26	2+5Holes	

Note: B series plate head to shaft distance is 6.0mm, used with 1.1mm cortical screw.

## 1.1mm T Type Plate(C Series)



Product Code	Thickness / Width / Length	Specification	Material
AA0051101	1.0/3/21	3+3Holes	Pure Titanium
AA0051102	1.0/3/27	3+4Holes	

Note: C series plate head to shaft distance is 7.05mm, used with 1.1mm cortical screw.

## 1.1mm Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0041101	1.0/3/90	30Holes	Pure Titanium
AA0041102	1.0/3/91	23Holes	

Note: Used with 1.1mm cortical screw.

## 1.1mm Reconstruction Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0071101	1.0/3/90	30Holes	Pure Titanium

Note: Used with 1.1mm cortical screw.

## 1.1mm Neutral Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0081101	1.0/3/90	27Holes	Pure Titanium
AA0081102	1.0/3/91	20Holes	

Note: Used with 1.1mm cortical screw.

## 1.1mm Double T Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0091101	1.0/3/90	30Holes	Pure Titanium

Note: Used with 1.1mm cortical screw.

## 1.5mm Double T Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0101501	1.5/4/148	32Holes	Pure Titanium
AA0101502	1.5/4/148	32Holes	
AA0101503	1.5/4/152	32Holes	

Note: Used with 1.5mm cortical screw.

## 2.0mm Double T Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0112001	1.8/5/140	29Holes	Pure Titanium
AA0112002	1.8/5/140	31Holes	
AA0112003	1.8/5/144	31Holes	

Note: Used with 2.0mm cortical screw.

## 2.4mm Double T Cuttable Plate



Product Code	Thickness / Width / Length	Specification	Material
AA0122401	1.8/5/140	27Holes	Pure Titanium
AA0122402	1.8/5/140	29Holes	
AA0122403	1.8/5/144	29Holes	

Note: Used with 2.4mm cortical screw.

## 2.0mm Straight Locking Plate



Product Code	Length	Specification	Material
AC0012004	23.2	4holes	Pure Titanium
AC0012005	28.5	5holes	
AC0012006	33.8	6holes	
AC0012007	39.1	7holes	
AC0012008	44.4	8holes	
AC0012009	49.7	9holes	
AC0012010	55	10holes	

Note: Select 02.0 Locking Screw/02.0 Central Self Tapping Screw/photo show 8 holes

## 2.0mm L Type Straight Locking Plate(L/R)



Product Code	Length	Specification	Material
AC0022005L/R	22.5	5 holes L/R	Pure Titanium
AC0022006L/R	27.8	6 holes L/R	
AC0022007L/R	33.1	7 holes L/R	
AC0022008L/R	38.4	8 holes L/R	

Note: Select 02.0 Locking Screw/02.0 Central Self Tapping Screw/photo show 8 holes

## 2.0mm Condyle Locking Plate



Product Code	Length	Specification	Material
AC0032005	23.1	5/L, 5 holes	Pure Titanium
AC0032006	28.4	6/L, 6 holes	
AC0032007	33.7	7/L, 7 holes	
AC0032008	39	8/L, 8 holes	
AC0032009	44.3	9/L, 9 holes	

Note: Select 02.0 Locking Screw/02.0 Central Self Tapping Screw/photo show 8 holes

## 2.0mm T Type Locking Plate



Product Code	Length	Specification	Material
AC0042005	23.4	5 holes	Pure Titanium
AC0042006	28.7	6 holes	
AC0042007	34	7 holes	
AC0042008	39.3	8 holes	
AC0042009	44.6	9 holes	

Note: Select 02.0 Locking Screw/02.0 Central Self Tapping Screw/photo show 8 holes

## 2.5mm Straight Locking Plate



Product Code	Length	Specification	Material
AC0052504	30	4 holes	Pure Titanium
AC0052505	37	5 holes	
AC0052506	44	6 holes	
AC0052507	51	7 holes	
AC0052508	58	8 holes	
AC0052509	65	9 holes	
AC0052510	72	10 holes	

Note: Select 02.5 Locking Screw/02.5 Central Self Tapping Screw photo show 10 holes

## 2.5mm L Type Locking Plate(L/R)



Product Code	Length	Specification	Material
AC0042505L/R	29.5	5 holes L/R	Pure Titanium
AC0042506L/R	34.5	6 holes L/R	
AC0042507L/R	43.5	7 holes L/R	
AC0042508L/R	50.5	8 holes L/R	
AC0042509L/R	57.5	9 holes L/R	

Note: Select 02.5 Locking Screw/02.5 Central Self Tapping Screw/photo show 8 holes

## 2.5mm Condyle Locking Plate



Product Code	Length	Specification	Material
AC0072505	30.5	5 holes	Pure Titanium
AC0072506	37.5	6 holes	
AC0072507	44.5	7 holes	
AC0072508	51.5	8 holes	
AC0072509	58.5	9 holes	

Note: Select 02.5 Locking Screw/02.5 Central Self Tapping Screw/photo show 8 holes

## 2.5mm T Type Locking Plate



Product Code	Length	Specification	Material
AC0082505	30.5	5/L, 5 holes	Pure Titanium
AC0082506	37.5	6/L, 6 holes	
AC0082507	44.5	7/L, 7 holes	
AC0082508	51.5	8/L, 8 holes	
AC0082509	58.5	9/L, 9 holes	

Note: Select 02.5 Locking Screw/02.5 Central Self Tapping Screw/photo show 8 holes

## 2.7mm Locking Plate



Product Code	Length	Specification	Material
AC0092704	54	4 holes	Pure Titanium
AC0092705	64	5 holes	
AC0092706	74	6 holes	
AC0092707	84	7 holes	
AC0092708	94	8 holes	
AC0092709	104	9 holes	
AC0092710	114	10 holes	

Note: Select 02.7 Locking Screw/02.7 Central Self Tapping Screw/photo show 7 holes

## 2.7mm Reconstruction Locking Plate



Product Code	Length	Specification	Material
AC1027204	40.5	4 holes	Pure Titanium
AC1027205	50.5	5 holes	
AC1027206	60.5	6 holes	
AC1027207	70.5	7 holes	
AC1027208	80.5	8 holes	
AC1027209	90.5	9 holes	
AC1027210	100.5	10 holes	

Note: Select 02.7 Locking Screw/02.7 Central Self Tapping Screw/photo show 7 holes

## 1.6mm Locking Screw



Product Code	Specification(mm)	Material
AA0021404-AA0021410	1.6x4/5/6/7/8/10	Titanium Alloy

Note: Match cross head screw driver, compatible for cortical and cancellous bone

## 2.4mm Locking Screw



Product Code	Specification(mm)	Material
AA0023405-AA0023414	2.4x3/6/8/10/12/14/16	Titanium Alloy

Note: Match T8 torx screw driver, compatible for cortical and cancellous bone

## 3.2mm Locking Screw



Product Code	Specification(mm)	Material
AA0033206-AA0033220	3.2x6/8/10/12/14/16/18/20	Titanium Alloy

Note: Match T10 torx screw driver, compatible for cortical and cancellous bone

## 4.0mm Locking Screw



Product Code	Specification(mm)	Material
AA0024010-AA0024024	4.0x10/12/14/16/18/20/22/24/26	Titanium Alloy

Note: Match T10 torx screw driver, compatible for cortical and cancellous bone

## 1.1mm Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
AA0031104-AA0031112	1.1x4/5/6/7/8/9/10/12	Titanium Alloy

Note: Match cross head screw driver, compatible for cortical and cancellous bone

## 1.5mm Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
AA0031506-AA0031526	1.5x6/7/8/10/12/14/16/18/20/22/24/26	Titanium Alloy

Note: Match T8 torx screw driver, compatible for cortical and cancellous bone

## 2.4mm Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
AA0032410-AA0032432	2.4x10/12/14/16/18/20/22/24/26/28/30/32	Titanium Alloy

Note: Match T10 torx screw driver, compatible for cortical and cancellous bone

## 2.7mm Cortical Self-Tapping Screw



Product Code	Specification(mm)	Material
AA0032712-AA0032734	2.7x12/14/16/18/20/22/24/26/28/30/32/34	Titanium Alloy

Note: Match T10 torx screw driver, compatible for cortical and cancellous bone

## 2.0, 2.5, 2.7mm Locking Screw



Product Code	Diameter	Length	Material
AD0012004-AD0012022	2.0(Triangle)	2mm size gap	Titanium Alloy
AD0012504-AD0012530	2.5(Torx)	2mm size gap	
AD0012704-AD0012730	2.7(Torx)	2mm size gap	

Note: 2.0 Locking screw match Torx size driver 2.5/2.7 Locking screw match T2.3 screw driver

## 2.0, 2.5, 2.7mm Cortical Self Tapping Screw



Product Code	Diameter	Length	Material
AE0012004-AE0012022	2.0(Triangle)	2mm size gap	Titanium Alloy
AE0012504-AE0012530	2.5(Torx)	2mm size gap	
AE0012704-AE0012730	2.7(Torx)	2mm size gap	

Note: 2.0 cortical self tapping screw match Torx size driver 2.5/2.7 cortical self tapping screw match T2.3 screw driver

## 1.6 Locking Plate Instrument Kit(A001)




No.	Product Code	Description	Specification	Quantities
1	A001-01	Drill Bit	Ø0.8mm	1
2	A001-02	Drill Bit	Ø1.1mm	1
3	A001-03	Locking Drill Guide	Ø1.1	1
4	A001-04	Drill Guide	Ø0.8/1.1mm	1
5	A001-05	Cross Head Screw Driver		1
6	A001-06	1.1mm T Type Plate(A series)	2x3/2x4/2x5Holes	3pc/1pc/1ite
7	A001-07	1.1mm T Type Plate(B series)	2x3/2x4/2x5Holes	3pc/1pc/1ite
8	A001-08	1.1mm T Type Plate(C series)	3x3/3x4Holes	3pc/1pc/1ite
9	A001-09	1.1mm Straight Cutable Plate	30Holes,90mm	1
10	A001-10	1.1mm Straight Cutable Plate	23Holes,91mm	1
11	A001-11	1.1mm Resurrection Cutable Plate	30Holes,90mm	1
12	A001-12	1.1mm Neutral Cutable Plate	27Holes,90mm	1
13	A001-13	1.6 Locking Plate	30Holes	1
14	A001-14	1.6 Locking Plate	26Holes	1
15	A001-15	Locking Screw	1.6x4.5/6/7/8/9mm	6pc/5ite
16	A001-16	Cortical Self Tapping Screw	3.1x4.5/6/7/8/9/10mm	6pc/5ite
17	A001-17	Implants case		1

## 2.4 Locking Plate Instrument Kit(A002)



No.	Product Code	Description	Specification	Quantities
1	A002-01	Drill Bit (AO)	Ø1.1mm	1
2	A002-02	Drill Bit (AO)	Ø1.5mm	1
3	A002-03	Drill Bit (AO)	Ø1.8mm	1
4	A002-04	Drill Bit Stopper	Ø1.8mm	1
5	A002-05	Drill Bit Stopper Spanner		1
6	A002-06	Locking Drill Guide	Ø1.1mm	1
7	A002-07	Locking Drill Guide	Ø1.8mm	1
8	A002-08	Compression Drill Guide	Ø1.1mm	1
9	A002-09	Drill Guide	Ø1.1/Ø1.5mm	1
10	A002-10	AO Quick Coupling Handle		1
11	A002-11	Depth Gauge	30mm	1
12	A002-12	Screw Holder		1
13	A002-13	AO Quick Coupling Torx Head Screw Driver	T6	1
14	A002-14	Plate Bending Wrench		1
15	A002-15	Implants Box		1
16	A002-16	Tool Box		1

## 3.2 Locking Plate Instrument Kit(A003)



No.	Product Code	Description	Specification	Quantities
1	A003-01	Drill Bit (AO)	Ø1.8mm	1
2	A003-02	Drill Bit (AO)	Ø2.5mm	1
3	A003-03	Drill Bit Stopper	Ø2.5mm	1
4	A003-04	Drill Bit Stopper Spanner		1
5	A003-05	Locking Drill Guide	Ø1.8mm	1
6	A003-06	Compression Drill Guide	Ø1.8mm	1
7	A003-07	Locking Drill Guide	Ø2.5mm	1
8	A003-08	Drill Guide	Ø1.8/Ø2.5mm	1
9	A003-09	AO Quick Coupling Handle		1
10	A003-10	Depth Gauge	50mm	1
11	A003-11	Screw Holder		1
12	A003-12	Torx Head Screw Driver	T10	1
13	A003-13	Plate Bending Wrench		1
14	A003-14	Implants Box		1
15	A003-15	Tool Box		1

## 4.0 Locking Plate Instrument Kit(A004)



No.	Product Code	Description	Specification	Quantities
1	A004-01	Drill Bit (AO)	Ø2.0mm	1
2	A004-02	Drill Bit (AO)	Ø2.7mm	1
3	A004-03	Drill Bit (AO)	Ø3.2mm	1
4	A004-04	Drill Bit Stopper	Ø3.2mm	1
5	A004-05	Drill Bit Stopper Spanner		1
6	A004-06	Locking Drill Guide	Ø2.0mm	1
7	A004-07	Locking Drill Guide	Ø3.2mm	1
8	A004-08	Compression Drill Guide	Ø2.0mm	1
9	A004-09	Drill Guide	Ø2.0/Ø2.7mm	1
10	A004-10	AO Quick Coupling Handle		1
11	A004-11	Depth Gauge	60mm	1
12	A004-12	Screw Holder		1
13	A004-13	AO Quick Coupling Torx Head Screw Driver	T10	1
14	A004-14	Plate Bending Wrench		1
15	A004-15	Implants Box		1
16	A004-16	Tool Box		1



## 2.0 Locking Plate Instrument Kit(A005)



No.	Product Code	Description	Specification
1	A005-01	Triangule Screw Driver	
2	A005-02	Locking Screw Topper	HA2
3	A005-03	Cortical Self Tapping Topper	HA2
4	A005-04	Drill Bit	Ø1.5mm
5	A005-05	Drill Guide	Ø1.5mm
6	A005-06	Depth Gauge	30mm
7	A005-07	Screw Box	

## 2.5 Locking Plate Instrument Kit(A006)



No.	Product Code	Description	Specification
1	A006-01	Tox Head Screw Driver	T2.3
2	A006-02	Locking Screw Topper	HA2.5
3	A006-03	Cortical Self Tapping Topper	HA2.5
4	A006-04	Drill Bit	Ø2.0mm
5	A006-05	Drill Guide	Ø2.0mm
6	A006-06	Depth Gauge	30mm
7	A006-07	Screw Box	

## 2.7 Locking Plate Instrument Kit(A007)



No.	Product Code	Description	Specification
1	A007-01	Tox Head Screw Driver	T2.3
2	A007-02	Locking Screw Topper	HA2.7
3	A007-03	Cortical Self Tapping Topper	HA2.7
4	A007-04	Drill Bit	Ø2.1mm
5	A007-05	Drill Guide	Ø2.1mm
6	A007-06	Depth Gauge	40mm
7	A007-07	Screw Box	

## 1.5mm Straight Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0011520	1.2/3.8/100	20Holes	Stainless Steel

Note: photo for 20 Holes select Ø1.5mm cortical self tapping screw

## 1.5mm Straight Plate(Thickening)



Product Code	Thickness / Width / Length	Specification	Material
AF00215030519	1.5/3.8/130	3+5+19Holes	Stainless Steel

Note: photo for 3+5+19 Holes select Ø1.5mm cortical self tapping screw

## 2.0mm Straight Compression Plate Type I



Product Code	Thickness / Width / Length	Specification	Material
AF0032006	1.5/5/33	4Holes	Stainless Steel
AF0032007	1.5/5/36	7Holes	
AF0032008	1.5/5/43	8Holes	
AF0032009	1.5/5/48	9Holes	
AF0032010	1.5/5/53	10Holes	
AF0032012	1.5/5/63	12Holes	

Note: photo for 10 Holes select Ø2.0mm cortical self tapping screw

## 2.0mm Straight Compression Plate Type II



Product Code	Thickness / Width / Length	Specification	Material
AF0042004	1.2/5.0/23	4Holes	Stainless Steel
AF0042005	1.2/5.0/28	5Holes	
AF0042006	1.2/5.0/33	6Holes	

Note: photo for 6 Holes select Ø2.0mm cortical self tapping screw

## 2.0mm Straight Round Hole Plate Type I



Product Code	Thickness / Width / Length	Specification	Material
AF0052004	1.2/5/26	4Holes	Stainless Steel
AF0052006	1.2/5/36	6Holes	
AF0052008	1.2/5/50	8Holes	
AF0052010	1.2/5/62	10Holes	

Note: photo for 10 Holes select Ø2.0mm cortical self tapping screw



## 2.0mm Straight Round Hole Plate Type II



Product Code	Thickness / Width / Length	Specification	Material
AF0042004	1.2/5/31	4Holes	Stainless Steel
AF0042005	1.2/5/36	5Holes	

Note: photo for 5 holes select 02.0mm cortical self tapping screw

## 2.0mm Straight Round Hole Plate Type III



Product Code	Thickness / Width / Length	Specification	Material
AF0072004	1.2/5/26	4Holes	Stainless Steel
AF0072005	1.2/5/31	5Holes	

Note: photo for 5 holes select 02.0mm cortical self tapping screw

## 2.0mm Straight Round Hole Plate Type VI



Product Code	Thickness / Width / Length	Specification	Material
AF0082006	1.5/5.5/50	6Holes	Stainless Steel
AF0082007	1.5/5.5/60	7Holes	
AF0082008	1.5/5.5/70	8Holes	

Note: photo for 7 holes select 02.0mm cortical self tapping screw

## 2.0mm Straight Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0092006	1.5/5/41	6Holes	Stainless Steel
AF0092008	1.5/5/52	8Holes	

Note: photo for 8 holes select 02.0mm cortical self tapping screw

## 2.0mm Straight Neutral Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0102006	1.5/5/40	6Holes	Stainless Steel
AF0102008	1.5/5/52	8Holes	
AF0102010	1.5/5/64	10Holes	

Note: photo for 8 holes select 02.0mm cortical self tapping screw

## 2.0mm Straight Plate(Cutttable)



Product Code	Thickness / Width / Length	Specification	Material
AF0112050	1.2/5/250	50Holes	Stainless Steel

Note: photo for 50 holes select 02.0mm cortical self tapping screw

## 2.4mm LC-DCP



Product Code	Thickness / Width / Length	Specification	Material
AF0122404	2.0/6.5/34	4Holes	Stainless Steel
AF0122405	2.0/6.5/42	5Holes	
AF0122406	2.0/6.5/50	6Holes	
AF0122407	2.0/6.5/58	7Holes	
AF0122408	2.0/6.5/64	8Holes	
AF0122410	2.0/6.5/82	10Holes	

Note: photo for 8 holes select 02.0mm cortical self tapping screw

## 2.4mm Straight Neutral Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0132406	2.0/6.5/52.5	6Holes	Stainless Steel
AF0132408	2.0/6.5/65.5	8Holes	

Note: photo for 6 holes select 02.4mm cortical self tapping screw


## 2.4mm Straight Neutral/Lengthening Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0142406	2.0/6.5/39	6Holes	Stainless Steel
AF0142408	2.0/6.5/72	8Holes	

Note: photo for 8 holes select 02.4mm cortical self tapping screw

## 2.4mm Straight Plate(Cutttable)



Product Code	Thickness / Width / Length	Specification	Material
AF0152422	1.5/6.5/162.5	22Holes	Stainless Steel

Note: photo for 22 holes select 02.4mm cortical self tapping screw

## 2.7mm Straight Compression Plate Type I



Product Code	Thickness / Width / Length	Specification	Material
AF0162704	2.0/8/37	4Holes	Stainless Steel
AF0162705	2.0/8/45	5Holes	
AF0162706	2.0/8/53	6Holes	
AF0162707	2.0/8/61	7Holes	
AF0162708	2.0/8/69	8Holes	
AF0162709	2.0/8/77	9Holes	
AF0162710	2.0/8/85	10Holes	
AF0162712	2.0/8/101	12Holes	

Note: photo for 7 holes select 02.7mm cortical self tapping screw

## 2.7mm Straight Compression Plate Type II



Product Code	Thickness / Width / Length	Specification	Material
AF0172706	2.5/8/53	6Holes	Stainless Steel
AF0172707	2.5/8/61	7Holes	
AF0172708	2.5/8/69	8Holes	
AF0172709	2.5/8/77	9Holes	
AF0172710	2.5/8/85	10Holes	
AF0172712	2.5/8/101	12Holes	

Note: photo for 12 holes select 02.7mm cortical self tapping screw

## 2.7mm LC-DCP(Bidirectional)



Product Code	Thickness / Width / Length	Specification	Material
AF0182704	2.5/8/39	4Holes	Stainless Steel
AF0182705	2.5/8/48	5Holes	
AF0182706	2.5/8/57	6Holes	
AF0182707	2.5/8/66	7Holes	
AF0182708	2.5/8/75	8Holes	
AF0182709	2.5/8/84	9Holes	
AF0182710	2.5/8/93	10Holes	
AF0182712	2.5/8/111	12Holes	

Note: photo for 8 holes select 02.7mm cortical self tapping screw

## 2.7mm LC-DCP



Product Code	Thickness / Width / Length	Specification	Material
AF0192704	2.0/8/43	4Holes	Stainless Steel
AF0192705	2.0/8/52	5Holes	
AF0192706	2.0/8/61	6Holes	
AF0192707	2.0/8/70	7Holes	
AF0192708	2.0/8/79	8Holes	
AF0192710	2.0/8/98	10Holes	
AF0192712	2.0/8/117	12Holes	

Note: photo for 10 holes select 02.7mm cortical self tapping screw

## 2.7mm Round Hole Neutral Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0202708	2.5/8.0/77	8Holes	Stainless Steel

Note: photo for 8 holes select 02.7mm cortical self tapping screw

## 3.5mm Straight Compression Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0213506	3.0/10/77	4Holes	Stainless Steel
AF0213508	3.0/10/101	6Holes	
AF0213510	3.0/10/125	8Holes	
AF0213512	3.0/10/149	10Holes	

Note: photo for 8 holes select 03.5mm cortical self tapping screw

## 3.5mm Straight Compression Plate(Wide)



Product Code	Thickness / Width / Length	Specification	Material
AF0223504	3.5/12/88	4Holes	Stainless Steel
AF0223508	3.5/12/116	8Holes	
AF0223510	3.5/12/144	10Holes	
AF0223512	3.5/12/172	12Holes	
AF0223514	3.5/12/200	14Holes	

Note: photo for 8 holes select 03.5mm cortical self tapping screw

## 1.5mm Straight Reconstruction Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0231520	1.3/4/100	20Holes	Stainless Steel

Note: photo for 20 holes select 01.5mm cortical self tapping screw

## 2.0mm Straight Reconstruction Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0240202	1.5/3/100	20Holes	Stainless Steel

Note: photo for 20 holes select 02.0mm cortical self tapping screw

## 2.4mm Straight Reconstruction Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0252425	1.5/4.5/142.5	25Holes	Stainless Steel

Note: photo for 25 holes select 02.4mm cortical self tapping screw

## 2.7mm Straight Reconstruction Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0292720	3.5/8/140	20Holes	Stainless Steel

Note: photo for 20 holes, select Ø1.7mm cortical self tapping screw

## 3.5mm Straight Reconstruction Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0273520	3.0/10/144	12Holes	Stainless Steel

Note: photo for 12 holes, select Ø1.5mm cortical self tapping screw

## 1.5mm Double T Type Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0281530	1.5/4/154	30Holes	Stainless Steel

Note: photo for 30 holes, select Ø1.5mm cortical self tapping screw

## 1.5mm T Type Plate(3 Holes in Head)



Product Code	Thickness / Width / Length	Specification	Material
AF029150304	1.2/4/29	3+4Holes	Stainless Steel

Note: photo for 3+4 holes, select Ø1.5mm cortical self tapping screw

## 2.0mm T Type Plate(3 Holes in Head)



Product Code	Thickness / Width / Length	Specification	Material
AF031200204	1.2/5.0/36	2+4Holes	Stainless Steel
AF031200208	1.2/5.0/54.5	2+4Holes	Stainless Steel

Note: photo for 2+4 holes, select Ø2.0mm cortical self tapping screw

## 2.0mm T Type Plate(2 Holes in Head)-I



## 2.0mm T Type Plate(2 Holes in Head)-II



Product Code	Thickness / Width / Length	Specification	Material
AF03200204	1.5/5/42	2+4L, 2+4Holes	Stainless Steel

Note: photo for 2+4 holes, select Ø2.0mm cortical self tapping screw

## 2.4mm T Type Plate(2 Holes in Head)



Product Code	Thickness / Width / Length	Specification	Material
AF03340208	1.5/6.5/40	2+4Holes	Stainless Steel

Note: photo for 2+4 holes, select Ø1.4mm cortical self tapping screw

## 2.7mm T Type Plate(2 Holes in Head)



Product Code	Thickness / Width / Length	Specification	Material
AF04270204	2.0/8/41	2+4Holes	Stainless Steel
AF04270208	2.0/8/77.5	2+4Holes	Stainless Steel

Note: photo for 2+4 holes, select Ø2.7mm cortical self tapping screw

## 3.5mm T Type Plate(2 Holes in Head)



Product Code	Thickness / Width / Length	Specification	Material
AF03350208	3.0/11/97.5	2+4Holes	Stainless Steel

Note: photo for 2+4 holes, select Ø3.5mm cortical self tapping screw

## 2.0mm L Type Round Hole Plate



Product Code	Thickness / Width / Length	Specification	Material
AF036200204L	1.2/5/21/90°	2+4Holes L	Stainless Steel
AF036200204R		2+4Holes R	

Note: photo for 2+4 holes, select Ø2.0mm cortical self tapping screw

## 2.0mm 120° L Type Round Hole Plate



Product Code	Thickness / Width / Length	Specification	Material
AF037200204L	1.2/5/24.5/120°	2+4Holes L	Stainless Steel
AF037200204R		2+4Holes R	

Note: photo for 2+4 holes, select Ø2.0mm cortical self tapping screw

2.0mm L Type Curved Plate



Product Code	Thickness / Width / Length	Specification	Material
AF03820L	1.5/10/24	2+Holes L	Stainless Steel
AF03820R		2+Holes R	

Note: photo for 2+4 holes. Lockset Ø3.0mm cortical self tapping screw

2.7mm L Type Curved Plate



Product Code	Thickness / Width / Length	Specification	Material
AF03927L	2.0/16.3/40.7	2+Holes L	Stainless Steel
AF03927R		2+Holes R	

Note: photo for 2+4 holes. Lockset Ø3.7mm cortical self tapping screw

3.5mm L Type Curved Plate



Product Code	Thickness / Width / Length	Specification	Material
AF04035L	2.5/16.9/63.8	2+Holes L	Stainless Steel
AF04035R		2+Holes R	

Note: photo for 2+4 holes. Lockset Ø3.5mm cortical self tapping screw

2.0mm Distal Femoral Compression Plate



Product Code	Thickness / Width / Length	Specification	Material
AF04120L	1.5/5.5/75.5	16Holes L	Stainless Steel
AF04120R		16Holes R	

Note: photo for 16 holes. Lockset Ø3.0mm cortical self tapping screw

2.0mm Distal Femoral Round Hole Plate



Product Code	Thickness / Width / Length	Specification	Material
AF042005L	1.5/5.5/43.7	8Holes L	Stainless Steel
AF042005R		8Holes R	

Note: photo for 8 holes. Lockset Ø3.0mm cortical self tapping screw

2.7mm Distal Femoral Plate Type I



Product Code	Thickness / Width / Length	Specification	Material
AF04327L	2.5/9/68	3+7Holes L	Stainless Steel
AF04327R		3+7Holes R	

Note: photo for 3+7 holes. Lockset Ø3.7mm cortical self tapping screw

2.7mm Distal Femoral Plate Type II



Product Code	Thickness / Width / Length	Specification	Material
AF04427L	2.5/8/68	4+5Holes L	Stainless Steel
AF04427R		4+5Holes R	

Note: photo for 4+5 holes. Lockset Ø3.7mm cortical self tapping screw

3.5mm Distal Femoral Plate



Product Code	Thickness / Width / Length	Specification	Material
AF04535L	3.0/11/115	3+10Holes L	Stainless Steel
AF04535R		3+10Holes R	

Note: photo for 3+10 holes. Lockset Ø3.5mm cortical self tapping screw

1.5mm Acetabular Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0461504	1.2/4/19.1	4Holes	Stainless Steel

Note: photo for 4 holes. Lockset Ø3.0mm cortical self tapping screw

2.0mm Acetabular Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0472004	1.2/5/26.8	4Holes	Stainless Steel

Note: photo for 4 holes. Lockset Ø3.0mm cortical self tapping screw

2.4mm Acetabular Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0482406	1.5/5/33.4	6Holes	Stainless Steel

Note: photo for 6 holes. Lockset Ø3.4mm cortical self tapping screw

2.7mm Acetabular Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0492706	2.0/7/40	6Holes	Stainless Steel

Note: photo for 6 holes. Lockset Ø3.7mm cortical self tapping screw

## 3.5mm Acetabular Plate



Product Code	Thickness / Width / Length	Specification	Material
AF053504	2.5/10/48	6Holes	Stainless steel

Note: photo for 6 holes, select Ø1.5mm cortical self-tapping screw

## 1.5mm X Type Plate (cuttable)



Product Code	Thickness / Width / Length	Specification	Material
AF051501	1.2/9/14		Stainless Steel
AF051502	1.2/11/15		
AF051503	1.2/9/18.9		

Note: photo for 4 holes, select Ø1.5mm cortical self-tapping screw

## 2.0mm X Type Plate (cuttable)



Product Code	Thickness / Width / Length	Specification	Material
AF052001	1.2/10.4/15.8		Stainless Steel
AF052002	1.2/12.9/17		
AF052003	1.2/10.4/22.9		

Note: photo for 4 holes, select Ø1.5mm cortical self-tapping screw

## 2.7mm X Type Plate (cuttable)



Product Code	Thickness / Width / Length	Specification	Material
AF0532701	2.0/13.9/20.9		Stainless Steel
AF0532702	2.0/14.4/24.8		
AF0532703	2.0/13.9/29.8		

Note: photo for 6 holes, select Ø2.7mm cortical self-tapping screw

## Model for cutting



## 1.5/2.0mm Fusion Plate



Product Code	Thickness / Width / Length	Specification	Material
AF0541513	1.3/6/80	13Holes	Stainless Steel

Note: photo for 13 holes, select Ø1.5mm/Ø2.0mm cortical self-tapping screw

## Ø1.5, 2.0, 2.4, 2.7, 3.5mm Cortical Self-Tapping Screw(Hex)



Product Code	Diameter	Length	Material
AG0001506-AG001502	HA1.5	Every 2mm is a specification	Stainless Steel
AG0002206-AG002202	HA2.0	Every 2mm is a specification	
AG0003406-AG003404	HA2.4	Every 2mm is a specification	
AG0042706-AG004270	HA2.7	Every 2mm is a specification	
AG0053506-AG005356	HA3.5	Every 2mm is a specification	

Note: HA1.5, HA2.0, HA2.4 select 1.5 Hex screw driver HA2.7, HA3.5 select 3.5 Hex screw driver

## Screw Sterilization Box 1.5/2.0/2.7




Product Code No.	Description	Specification	Quantity
AO08-01	1	1.5 Self-Tapping Screw(Hex) 1.5x4.8/10/12 14/16/18/20mm	1pc for each size
AO08-02	2	2.0 Self-Tapping Screw(Hex) 2.0x6/10/12/14/16 18/20/22/24/26/28mm	1pc for each size
AO08-03	3	2.7 Self-Tapping Screw(Hex) 2.7x10/12/14/16/18 20/22/24/26/28/30mm	1pc for each size

## Screw Sterilization Box 1.5/2.0/2.4/2.7/3.5



Product Code No.	Description	Specification	Quantity
AO09-01	1	1.5 Self-Tapping Screw(Hex) 1.5x4.8/10/12 14/16/18/20mm	1pc for each size
AO09-02	2	2.0 Self-Tapping Screw(Hex) 2.0x6/10/12/14/16 18/20/22/24/26/28mm	1pc for each size
AO09-03	3	2.4 Self-Tapping Screw(Hex) 2.4x8/10/12/14/16/18 20/22/24/26/28/30mm	1pc for each size
AO09-04	4	2.7 Self-Tapping Screw(Hex) 2.7x10/12/14/16/18 20/22/24/26/28/30mm	1pc for each size
AO09-05	5	3.5 Self-Tapping Screw(Hex) 3.5x8/10/12/14/16/18 20/22/24/26/28/30mm	1pc for each size

## Veterinary Plate Instrument Kit(A008)



Sterilization box

 (Product Code) (Specification)  
 A011 275 x 165 x 50mm




No.	Plate Size	Description	Specification	No.	Plate Size	Description	Specification
1	A010-01	1.2mm reconstructive cuttable plate	12Holes	25	A010-25	2.8mm distal femoral plate(II)	12Holes
2	A010-02	1.2mm reconstructive cuttable plate	20Holes	26	A010-26	2.8mm distal femoral plate(I)	12Holes
3	A010-03	1.2mm reconstructive cuttable plate	25Holes	27	A010-27	2.8mm distal femoral plate(I)	10Holes
4	A010-04	1.2mm reconstructive cuttable plate	20Holes	28	A010-28	3.5mm distal femoral plate(I)	10Holes
5	A010-05	1.2mm reconstructive cuttable plate	20Holes	29	A010-29	3.5mm distal femoral plate(II)	13Holes
6	A010-06	2.0mm DCP	10Holes	30	A010-30	3.5mm distal femoral plate(II)	13Holes
7	A010-07	2.0mm DCP	8Holes	31	A010-31	2.0mm DCP	9Holes
8	A010-08	2.4mm DCP	8Holes	32	A010-32	2.0mm DCP	12Holes
9	A010-09	2.4mm DCP	10Holes	33	A010-33	2.4mm DCP	12Holes
10	A010-10	2.7mm DCP	10Holes	34	A010-34	2.4mm DCP	14Holes
11	A010-11	2.7mm DCP	12Holes	35	A010-35	2.7mm DCP	9Holes
12	A010-12	1.5mm acetabular plate	4Holes	36	A010-36	2.7mm DCP	8Holes
13	A010-13	2.0mm acetabular plate	4Holes	37	A010-37	3.5mm DCP	12Holes
14	A010-14	2.4mm acetabular plate	4Holes	38	A010-38	3.5mm DCP	14Holes
15	A010-15	2.7mm acetabular plate	4Holes	39	A010-39	1.5mm cuttable plate	27Holes
16	A010-16	1.5mm acetabular plate	4Holes	40	A010-40	1.5mm double T type plate	30Holes
17	A010-17	1.5mm T type plate	3+4Holes	41	A010-41	2.0mm cuttable plate	30Holes
18	A010-18	2.0mm T type plate	2+4Holes	42	A010-42	2.4mm cuttable plate	22Holes
19	A010-19	2.4mm T type plate	2+8Holes	43	A010-43	2.0mm neutral plate	6Holes
20	A010-20	2.4mm neutral plate	8Holes	44	A010-44	2.0mm neutral plate	7Holes
21	A010-21	2.0mm neutral plate	8Holes	45	A010-45	2.4mm neutral plate	6Holes
22	A010-22	2.7mm neutral plate	8Holes	46	A010-46	2.7mm T type plate	2+8Holes
23	A010-23	3.5mm distal femoral plate(I)	14Holes	47	A010-47	3.5mm T type plate	2+8Holes
24	A010-24	3.5mm distal femoral plate(II)	14Holes	48	A010-48	bone plate box	



Sterilization box

 (Product Code) (Specification)  
 A012 300 x 180 x 100mm

## Veterinary Orthopedic Instrument 1.5/2.0/2.4/2.7/3.5mm



No.	Plate Size	Description	Specification	No.	Plate Size	Description	Specification
1	A013-01	Reductor forceps with point lock	160mm	26	A013-26	AO Quick Coupling Coupler	Ø6mm
2	A013-02	Reductor forceps with point lock	130mm	27	A013-27	AO Quick Coupling Screw Tap	1.5mm
3	A013-03	Self centering bone holding forceps	X-Small	28	A013-28	AO Quick Coupling Screw Tap	2.0mm
4	A013-04	Reduction Forceps	180mm	29	A013-29	AO Quick Coupling Screw Tap	2.4mm
5	A013-05	Self centering bone holding forceps	Small	30	A013-30	AO Quick Coupling Screw Tap	2.7mm
6	A013-06	Wire Cutter	2.5mm	31	A013-31	AO Quick Coupling Screw Tap	3.5mm
7	A013-07	End Cutting Forceps	2.5mm	32	A013-32	Double Drill Guide	1.1/1.5mm
8	A013-08	Wire Guide	Ø90mm	33	A013-33	Double Drill Guide	1.5/2.0mm
9	A013-09	K wire punch	1.5-2.5mm	34	A013-34	Double Drill Guide	1.8/2.4mm
10	A013-10	K Wire Bender		35	A013-35	Double Drill Guide	2.0/2.7mm
11	A013-11	Ruikin Rongeur	2mm	36	A013-36	Double Drill Guide	2.5/3.5mm
12	A013-12	Bone Rasp		37	A013-37	Drill Sleeve	1.5 mm
13	A013-13	Double End Penetrated Elevator	5mm	38	A013-38	Drill Sleeve	1.8mm
14	A013-14	Mini Hohmann Retractor	6mm	39	A013-39	Drill Sleeve	2.0mm
15	A013-15	Mini Hohmann Retractor	8mm	40	A013-40	Drill Sleeve	2.5mm
16	A013-16	Mini Hohmann Retractor	12mm	41	A013-41	Bone Plate Model	4pc
17	A013-17	Screw Holder	5mm	42	A013-42	Skin Retractor	
18	A013-18	AO Plates Bender	1.5/2.0/2.4mm	43	A013-43	Self Retaining Retractor	140mm
19	A013-19	AO Plates Bender	2.7/3.5mm	44	A013-44	Drill Bit	1.1mm
20	A013-20	Depth Gauge	0-30mm	45	A013-45	Drill Bit	1.5mm
21	A013-21	Depth Gauge	0-40mm	46	A013-46	Drill Bit	1.8mm
22	A013-22	Screw Driver	SW1.5	47	A013-47	Drill Bit	2.0mm
23	A013-23	Screw Driver	SW2.5	48	A013-48	Drill Bit	2.5mm
24	A013-24	AO Quick Coupling Type Handle		49	A013-49	Drill Bit	2.7mm
25	A013-25	AO Quick Coupling Coupler					Ø6mm

## Suture-Wire



Product Code	Diameter(mm)	Material
AH00104	0.4	Stainless Steel
AH00106	0.6	
AH00108	0.8	
AH00110	1.0	
AH00112	1.2	

## Kleshner Wire(single/double Head)



Product Code	Diameter(mm)	Length	Material
AH00208	0.8	250	Stainless Steel
AH00210	1.0	250	
AH00212	1.2	250	
AH00215	1.5	250	
AH00220	2.0	250	
AH00225	2.5	250	
AH00230	3.0	250	
AH00235	3.5	250	
AH00240	4.0	250	
AH00245	4.5	250	

## K Wire Racks



Product Code	Specification(mm)	Description
AH003	330x140x50mm	used for 0.8/1.0/1.2/1.5/2.0/2.5/3.0/3.5/4.0/4.5K Wire

## Temporary Fixation Wire For Bone Plate



Product Code	Diameter(mm)	Length	Material
AH00401	1.2	85	Stainless Steel
AH00402	1.5	150	

Note: 1.2mm used for 1.4/2.0/2.8mm bone plate; 1.5mm used for 2.7/3.0mm bone plate

## Drill Bit



Product Code	Diameter(mm)	Length(mm)	Material
A200108	0.8	40	Stainless Steel
A200111	1.1	85	
A200112	1.2	115	
A200115	1.5	115	
A200118	1.8	115	
A200120	2.0	115	
A200125	2.5	115	
A200127	2.7	115	
A200132	3.2	150	

## AO Quick Coupling Drill Bit



Product Code	Diameter(mm)	Length(mm)	Material
A200208	0.8	40	Stainless Steel
A200211	1.1	85	
A200215	1.5	100	
A200218	1.8	125	
A200220	2.0	125	
A200225	2.5	150	
A200227	2.7	150	
A200232	3.2	150	

## Elastic Nail



Product Code	Diameter(mm)	Length(mm)	Material
A200312	1.2	250	Titanium Alloy
A200315	1.5	250	
A200318	1.8	250	
A200320	2.0	250	
A200325	2.5	250	
A200330	3.0	250	

## End Cap



Product Code	Specification	Description	Material
A2004-01	small	used for 1.2/1.5/1.8/2.0mm Baric Nail	Titanium Alloy
A2004-02	big	used for 2.5/3.0mm Baric Nail	



## Veterinary Elastic Nail Instrument




No.	Product Code	Item	Specification
1	AD14-01	AD elastic nail	1.2x250mm
2	AD14-02	AD elastic nail	1.5x250mm
3	AD14-03	AD elastic nail	1.8x250mm
4	AD14-04	AD elastic nail	2.0x250mm
5	AD14-05	AD elastic nail	2.5x250mm
6	AD14-06	AD elastic nail	3.0x250mm
7	AD14-07	K wire bender	
8	AD14-08	K wire impactor	
9	AD14-09	AWL	
10	AD14-10	convulsated hand drill	TRE-FW T-handle
11	AD14-11	sliding hammer	
12	AD14-12	wire cutter	Max 3.0mm,230mm
13	AD14-13	pin forceps	
14	AD14-14	sliding hammer guide rod	

## Veterinary Trochlea Rectangular Sulcoplasty Instruments Set



No.	Product Code	Description	Specification
1	AD15-01	bone saw, 0.4mm	140mm
2	AD15-02	small trochlea rasp	Ø3.5mm
3	AD15-03	mini trochlea rasp	Ø2.2mm
4	AD15-04	bone chisel	3mm
5	AD15-05	bone chisel	4mm
6	AD15-06	bone chisel	5mm
7	AD15-07	bone chisel	6mm
8	AD15-08	bone chisel	8mm
9	AD15-09	bone chisel	10mm
10	AD15-10	bone chisel	15mm
11	AD15-11	double head bone rasp	
12	AD15-12	bone hammer	270g
13	AD15-13	sterilization box	

## Broken Screw Extractors Instrument Kit



No.	Product Code	Description	Specification
1	AD14-01	Broken Screw Extractor	
2	AD14-02	Straight Handle	
3	AD14-03	Drill Bit	ø3.0
4	AD14-04	Drill Bit	ø4.0
5	AD14-05	Drill Bit	ø5.0
6	AD14-06	Broken Screw Hollow Saw	ø4.0
7	AD14-07	Broken Screw Hollow Saw	ø3.2
8	AD14-08	Broken Screw Hollow Saw	ø2.7
9	AD14-09	Broken Screw Hollow Saw	ø2.4
10	AD14-10	Broken Screw Hollow Saw	ø2.0
11	AD16-11	Broken Screw Hollow Saw	ø1.5
12	AD16-12	Screw Driver (Hex)	SW1.5mm
13	AD16-13	Screw Driver (Hex)	SW2.5mm
14	AD16-14	Cross Head Screw Driver	2.0mm
15	AD16-15	Torx Head Screw Driver	T6
16	AD16-16	Torx Head Screw Driver	T10
17	AD16-17	Reamer	ø2.5
18	AD16-18	Reamer	ø2.0



## Aiming Reduction Forceps

(Product Code)	(Specification)
BA001030	(Small, Max 30mm, Length 144mm) (Small aiming device) 1.1/1.5/1.8mm (drill sleeve)
BA0010260	(Large, Max 60mm, Length 178mm) 1.8/2.0/2.5mm (drill sleeve)



## Multi-Functional Bone Holding Forceps

(Product Code)	(Specification)
BA0020120	(Max 20mm, Length 139mm)



## Plate Holding Forceps

(Product Code)	(Specification)
BA0030134	34mm, 142mm (Max 34mm, Length 142mm)



## Reduction Forceps with point

(Product Code)	(Specification)
BA004140	20mm, 142mm (Small, Max 30mm, Length 142mm)
BA004176	(Large, Max 62mm, Length 176mm)



## Reduction Forcep with limit

(Product Code)	(Specification)
BA0050164	64mm, 175mm (Max 64mm, Length 175mm)




## AD Self Locking Reduction Forcep

(Product Code)	(Specification)
BA006150	150mm (Length 150mm)



AO Self Locking Reduction Forcep With Point

(Product Code)	(Specification)
BA029150	150mm (Length 150mm)



Reduction Forceps With Point

(Product Code)	(Specification)
BA029135	Small 135mm (Length 135mm)
BA029140	Medium 140mm (Length 140mm)



Reduction Forcep With Jaws

(Product Code)	(Specification)
BA011150	150mm (Length 150mm)



BW Reduction Forcep

(Product Code)	(Specification)
BA013150	150mm (Length 150mm)



Reduction Forcep With Twin Point

(Product Code)	(Specification)
BA008180	180mm (Length 180mm)



AO Reduction Forceps With Jaws

(Product Code)	(Specification)
BA010140	140mm (Length 140mm)




Reduction Forcep

(Product Code)	(Specification)
BA012180	180mm (Length 180mm)



BW Bone Holding Forcep

(Product Code)	(Specification)
BA014150	150mm (Length 150mm)



MINI Bone Holding Forcep

(Product Code)	(Specification)
BA0150314	(Holding 3mm, Length 140mm)
BA0150514	(Holding 5mm, Length 140mm)
BA0150714	(Holding 7mm, Length 140mm)



KERN Bone Holding Forcep

(Product Code)	(Specification)
BA0170114	140mm (Length 140mm)
BA0171218	180mm (Length 180mm)



Plate Holding Forceps

(Product Code)	(Specification)
BA019140	140mm (Length 140mm)



Wire Cutter

(Product Code)	(Specification)
BA021653	4mm, 530mm (Max 6mm, Length 530mm)



Self-Centering Bone Holding Forcep

(Product Code)	(Specification)
BA0160115	150mm (Length 150mm)
BA0160218	180mm (Length 180mm)



Lowman Bone Clamp Veterinary Pattern Cat Size-Small

(Product Code)	(Specification)
BA0180108	<13mm 8mm (Max 13mm Length 108mm)
BA0180212	<13mm 12mm (Up 12mm Length 128mm)



Pin Cutting Forcep

(Product Code)	(Specification)
BA020205	(Max 2.5mm, Length 205mm)



Wire Cutter

(Product Code)	(Specification)
BA0224037	4mm, 370mm (Max 4mm, Length 370mm)



Front End Cutting Forcep

(Product Code)	(Specification)
BA023253	2.5mm, 235mm (Max 2.5mm, Length 235mm)



Wire Cutted

(Product Code)	(Specification)
BA025251	2.5mm, 210mm (Max 2.5mm, Length 210mm)



Wire Pliers(Sharp)

(Product Code)	(Specification)
BA027200	200mm (Length 200mm)



Wire Plier And Cutter

(Product Code)	(Specification)
BA024165	165mm (Length 165mm)



Wire Pliers(Flat)

(Product Code)	(Specification)
BA024220	220mm (Length 220mm)



Wire/small pin Cutter

(Product Code)	(Specification)
BA028150	1.8mm, 185mm (Max 1.8mm, Length 185mm)



Wire/small pin Cutter

(Product Code)	(Specification)
BA0291214	1.2mm, 140mm (Max 1.2mm, Length 140mm)



Plate/pin Cutting Plier TC Gold

(Product Code)	(Specification)
BA0312217	2.2mm, 170mm (Max 2.2mm, Length 170mm)
BA0312823	2.8mm, 230mm (Max 2.8mm, Length 230mm)



Jacobs Chuck(Straight)

(Product Code)	(Specification)
BA03301	0-4mm (Straight handle 0-4mm)



AO Jacobs Chuck T Handle/self lock

(Product Code)	(Specification)
BA03303	0-6mm (Self Locking 0-6mm)



Plate/pin Cutting Plier TC Gold

(Product Code)	(Specification)
BA0302823	2.8mm, 230mm (Max 2.8mm, Length 230mm)



Front End Wire Cutting Plier TC Gold

(Product Code)	(Specification)
BA032823	2.8mm, 230mm (Max 2.8mm, Length 230mm)



Jacobs Chuck(T handle)

(Product Code)	(Specification)
BA03302	0-6mm (T-handle 0-6mm)



Wire Guide

(Product Code)	(Specification)
BA03405	13.8mm, 0.5mm (Small Dia 13.8mm, Hole Dia 0.5mm)
BA03408	20mm, 0.8mm (Medium Dia 20mm, Hole Dia 0.8mm)
BA03412	30mm, 1.2mm (Large Dia 30mm, Hole Dia 1.2mm)



Wire Tightener

(Product Code)	(Specification)
BA033260	260mm (Length 260mm)



Kirschner Wire Punch

(Product Code)	(Specification)
BA03701	0.6-1.6mm 135mm (for 0.6-1.6mm, Length 135mm)
BA03702	1.5-2.5 mm 135mm (for 1.5-2.5mm, Length 135mm)



Bone Curette

(Product Code)	(Specification)
BA03902	2mm
BA03903	3mm
BA03904	4mm



BW 1.1/1.5/2.0 Reconstruction Plates Bender

(Product Code)	(Specification)
BA04101	140mm (Length 140mm)



Wire Twister/Cutter

(Product Code)	(Specification)
BA036150	150mm (Length 150mm)



K Wire Bender

(Product Code)	(Specification)
BA038140	0.6-2.5mm, 140mm (For 0.6-2.5mm, Length 140mm)



Bone Hammer

(Product Code)	(Specification)
BA0400135	30g
BA0400214	140g
BA0400327	270g
BA0400435	350g



2.4/2.7 Reconstruction Plates Bender

(Product Code)	(Specification)
BA04201140	140mm (Length 140mm)



BW 3.5 Reconstruction Plates Bender

(Product Code)	(Specification)
BA04302	140mm (Length 140mm)



3.5 mm Reconstruction Plate Pliers

(Product Code)	(Specification)
BA04501	280mm (Length 280mm)



Veterinary Plate Model

(Product Code)	(Specification)
BA04701	(width 4.8mm apply to 3.02mm(C-OCF&ICP))
BA04702	(width 6mm apply to 2.4mm(C-OCF&ICP))
BA04703	(width 8mm apply to 2.7mm(C-OCF&ICP))
BA04704	(width 10mm apply to 3.5mm(C-OCF&ICP))
BA04705	(width 12mm apply to 3.5mm(C-OCF&ICP))



Plates Bender

(Product Code)	(Specification)
BA0402175	AO 2.7/3.5, 175mm (AO 2.7/3.5, Length 175mm)



AO Reconstruction Plate Bender

(Product Code)	(Specification)
BA04601	MCP, 4-9mm

Used for 4-9mm width reconstructio plates, including ALPS and MCP, in plane and out of plane bending



Ruskin Rongeur

(Product Code)	(Specification)
BA0480102	2mm, 160mm (curved 2mm, length 160mm)
BA0480203	3mm, 160mm (curved 3mm, length 160mm)



Horsley Bone Cutter

(Product Code)	(Specification)
BAD49135	(Curved Straight) Length 150mm



Cottle Bone Cutter

(Product Code)	(Specification)
BAD500125	(Straight 25mm) Length 110mm



Bone cutter

(Product Code)	(Specification)
BAD510105	150mm (Length 150mm)



Double Head Periosteal Elevator

(Product Code)	(Specification)
BAD520103	3mm
BAD520105	5mm



AO Type Periosteal Elevator

(Product Code)	(Specification)
BAD530106	6mm, 180mm
BAD530210	(Flat 6mm) Length 180mm 10mm, 180mm (Curve 10mm) Length 180mm



Bone Chisel

(Product Code)	(Specification)
BAD5401	3mm
BAD5402	4mm
BAD5403	5mm
BAD5404	6mm
BAD5405	8mm
BAD5406	10mm
BAD5407	12mm
BAD5408	15mm



Bone Rasp

(Product Code)	(Specification)
BAD5501	5mm (Curve 5mm width)
BAD5502	5mm (Straight 5mm width)



Bone Saw

(Product Code)	(Specification)
BAD5601	(3.4mm cut) Length 140mm



Trochlea Rasp

(Product Code)	(Specification)
BAD5701	mini 2.5mm (Dia 2.2mm)
BAD5702	small 3.5mm (Dia 3.5mm)



Double Head Bone Rasp

(Product Code)	(Specification)
BAD5801	



Mini Hoffman Retractor

(Product Code)	(Specification)
BAD590106	6mm 160mm (2mm wide) Length 160mm
BAD590208	8mm 160mm (3mm wide) Length 160mm
BAD590312	12mm 160mm (2mm wide) Length 160mm



Femoral Bone Retractor

(Product Code)	(Specification)
BAD6001	small 125mm x 8mm x 12mm
BAD6002	medium 175mm x 13mm x 18mm
BAD6003	large 255mm x 25mm x 36mm



Skin Hook

(Product Code)	(Specification)
BAD6101	



Double Head Hook

(Product Code)	(Specification)
BAD6201	(Sharp Teeth)
BAD6202	(Blunt Teeth)




Gelpi self Retaining Retractor

(Product Code)	(Specification)
BA04301	100mm(Length) 100mm
BA04302	140mm(Length) 140mm
BA04303	160mm(Length) 160mm



Gelpi self Retaining Retractor

(Product Code)	(Specification)
BA04401	140mm(Length) 140mm
BA04402	160mm(Length) 160mm



Self-Retaining Retractor

(Product Code)	(Specification)
BA04501140	140mm(Length) 140mm
BA04502160	160mm(Length) 160mm



Self-Retaining Retractor(with joint)

(Product Code)	(Specification)
BA04601140	140mm(Length) 140mm
BA04602160	160mm(Length) 160mm



Orthopaedic measuring Ruler

(Product Code)	(Specification)
BA04701	(measuring length):150mm (measuring screw length):0-60mm (measuring diameter):0.8/1.0/1.2/1.5/ 2.0/2.4/2.7/3.0/3.3/3.5/4.0/4.5/5.0/5.5



Joint Motion Fixator

(Product Code)	(Matching bone screws)
CA01	Φ2.0×70mm 4 (Φ2.0×70mm 4 Pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Straight Fixator

(Product Code)	(Matching bone screws)
CA02	Φ2.0×70mm (Φ2.0×70mm 4 Pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Universal Compression Extension Fixator

(Product Code)	(Matching bone screws)
CA03	Φ2.5×30mm (Φ2.5×30mm 4 pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Universal Fixator

(Product Code)	(Matching bone screws)
CA04	Φ2.0×70mm (Φ2.0×70mm 4 pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Combined Fixator

(Product Code)	(Matching bone screws)
CA05	Φ2.0×70mm (Φ2.0×70mm 4 pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Straight Track Fixator

(Product Code)	(Matching bone screws)
CA06	Φ2.0×70mm (Φ2.0×70mm 4 pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Horizontal Axis Fixator

(Product Code)	(Matching bone screws)
CA07	Φ2.0×70mm (Φ2.0×70mm 4 pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver



Track/Vertical Axis Fixator

(Product Code)	(Matching bone screws)
CA08	Φ2.0×70mm (Φ2.0×70mm 4 pcs)

(Matching instruments)
3.0mmL 2.0mm
3.0mmL Type Hex Wrench 2.0mm Screw Driver

## Pin to Rod Coupling



Product Code	Specification	Material
C801	Φ9/2	Aluminum Alloy

Note: can be combined as required

## Rod to Rod Coupling



Product Code	Specification	Material
C802	Φ13/3	Aluminum Alloy

Note: can be combined as required

## Rod to Rod Coupling



Product Code	Specification	Material
C803	Φ14/6	Stainless Steel

Note: can be combined as required

## Pin to Rod Coupling



Product Code	Specification	Material
C804	Φ2.5-3/6	Stainless Steel

Note: can be combined as required

## Schanz Screw



Product Code	D x L (mm)	HA	Diameter(mm)	Length(mm)	Material
SS/1700050	Φ2.0 x 50			16	
SS/1700060	Φ2.0 x 60	HA	Φ2.0	16	
SS/1700070	Φ2.0 x 70			16	
SS/1700080	Φ2.0 x 80			16	
SS/1705070	Φ2.5 x 70	HA	Φ2.5	20	
SS/1705080	Φ2.5 x 80			20	
SS/1705090	Φ2.5 x 90			20	
SS/1705100	Φ2.5 x 100			30	
SS/1700040	Φ3.0 x 40			20	
SS/1700050	Φ3.0 x 50			20	
SS/1700060	Φ3.0 x 60	HA	Φ3.0	25	Stainless Steel
SS/1700070	Φ3.0 x 70			20	
SS/1700080	Φ3.0 x 80			25	Titanium Alloy
SS/1700090	Φ3.0 x 90			25	
SS/170100	Φ3.0 x 100			30	
SS/170110	Φ3.0 x 110			35	
SS/170120	Φ3.0 x 120			35	
SS/1705040	Φ3.5 x 40			20	
SS/1705070	Φ3.5 x 70			20	
SS/1705080	Φ3.5 x 80	HA	Φ3.5	25	
SS/1705090	Φ3.5 x 90			25	
SS/1705100	Φ3.5 x 100			30	
SS/1705110	Φ3.5 x 110			35	
SS/1705120	Φ3.5 x 120			40	

## Connecting Rod



Product Code	Diameter(mm)	Length(mm)	Material
C000101	3.0	60	
C000102	3.0	80	
C000103	3.0	100	Aluminum Alloy
C000104	4.0	100	
C000105	4.0	150	Carbon fibre
C000106	4.0	200	
C000107	4.0	250	



Canulate Power Drill(D001)



No.	Product Code	Description	Parameter
1	DA001	Canulate Drill	80W/0-1000rpm
2	DC001	Battery	
3	DC002	Internal Hexagon Spanner	
4	DC003	Sterilizing Channel	
5	DC004	Charger	
6	DC005	Al Box	

Lithium Micro Oscillating Bone Saw (D002)



No.	Product Code	Description	Parameter
1	DA002	Oscillating Saw	80W/0-1800cpm
2	DC001	Battery	
3	DC003	Sterilizing Channel	
4	DC004	Charger	
5	DC005	Al Box	
6	DD001	Saw Blade	

Multi-Functional Micro Power Drill Saw System(D003)



No.	Product Code	Description	Parameter
1	DA003	Multi-Functional Micro Power Drill	80W
2	DB001	Bone Drill Attachment	0-1200rpm
3	DB002	Oscillating Saw Adaptor	0-10000cpm
4	DB003	AO Quick Coupling Attachment	0-1000rpm
5	DB004	K Wire Attachment	0-1200rpm
6	DC001	Battery	
7	DC002	Internal Hexagon Spanner	
8	DC003	Sterilizing Channel	
9	DC004	Charger	
10	DC005	Al Box	
11	DD001	Saw Blade	

TPLO Saw(D004)



No.	Product Code	Description	Parameter
1	DA004	TPLO Saw Motor	0-14000cpm
2	DA002	L Type Hexagon Spanner	
3	DC001	Battery	
4	DC003	Sterilizing Channel	
5	DC004	Charger	
6	DC005	Al Box	
7	DE001	Curved Saw Blade	
8		Sterilization Box	

Saw Blade(DD001)



No.	Product Code	Thickness	length	width
1	DD001	0.3	40	7.9
2	DD002	0.3	40	11.7
3	DD003	0.3	37	12
4	DD004	0.5	37	15
5	DD005	0.5	46	10
6	DD006	0.5	40	6.6

Curved Saw Blade(DE001)



No.	Product Code	Specification
1	DE001	R:10mm, 24mm x 0.6mm
2	DE002	R:12mm, 30mm x 0.6mm
3	DE003	R:15mm, 30mm x 0.6mm
4	DE004	R:18mm, 35mm x 0.6mm
5	DE005	R:21mm, 35mm x 0.6mm
6	DE006	R:24mm, 42mm x 0.6mm
7	DE007	R:27mm, 50mm x 0.6mm
8	DE008	R:30mm, 50mm x 0.6mm



Battery

DC001 (Product Code)



Internal Hexagon Spanner

DC002 (Product Code)



Sterilizing Channel

DC003 (Product Code)



Charger

DC004 (Product Code)



Al Box

DC005 (Product Code)



Sterilization Box

 DC006 (Product Code) (Specification)  
250 x 220 x 80mm


Sterilization Box for TPLO Saw

 DC007 (Product Code) (Specification)  
300 x 245 x 80mm



Mayo Safety Pin

(Product Code)	(Specification)
EA001	140mm



Grile Artery Forceps

(Product Code)	(Specification)
EB00201	140mm [Straight]
EB00202	140mm [Curved]
EB00203	160mm [Straight]
EB00204	160mm [Curved]



Dressing Blunt

(Product Code)	(Specification)
EC00101	145mm [Straight]
EC00102	145mm [Curved]
EC00103	165mm [Straight]
EC00104	165mm [Curved]




Halsted-mosquito

(Product Code)	(Specification)
EB00101	125mm [Straight]
EB00102	125mm [Curved]



Allis Tissue Forceps

(Product Code)	(Specification)
EB00301	125mm/4x5 [Teeth]
EB00302	150mm/4x5 [Teeth]



Dressing Sharp

(Product Code)	(Specification)
EC00201	115mm [Straight]
EC00202	115mm [Curved]
EC00203	145mm [Straight]
EC00204	145mm [Curved]
EC00205	145mm [Straight]
EC00206	145mm [Curved]



Thread Cutter

(Product Code)	(Specification)
EC003	



Dissecting Forceps

(Product Code)	(Specification)
ED001	150mm



Adson Dissecting Forceps

(Product Code)	(Specification)
ED003	[with hook]



Standard Scalpel Handles

(Product Code)	(Specification)
ED00501	#3
ED00502	#4



Backhaus Towel Forceps

(Product Code)	(Specification)
EE002	90mm



Pin Holder With Cutter

(Product Code)	(Specification)
EC00401	140mm
EC00402	140mm



Adson Dissecting Forceps

(Product Code)	(Specification)
ED002	[with Jaw]



Adson Dissecting Forceps

(Product Code)	(Specification)
ED004	Brown



Backhaus Towel Forceps

(Product Code)	(Specification)
EE00101	100mm
EE00102	125mm



Spay Ligation Fixture Clamp

(Product Code)	(Specification)
EE00301	140mm
EE00302	140mm



Canine/Felines Snook Hook

(Product Code)	(Specification)
EF00101	150mm (felines)
EF00102	180mm (canines)



Balfour Abdominal Retractor

(Product Code)	(Specification)
EH001	180mm(Max 180mm)

(Notes)

can be used as the rib retractor, open abdominal surgery hook



Mouth Opener

(Product Code)	(Specification)
ED001	100mm, $\phi$ -25mm (100mm, range $\phi$ -25mm)



Tongue Forceps

(Product Code)	(Specification)
EG001	170mm



Tail Cutter

(Product Code)	(Specification)
EE001	140mm(Length 140mm)

Veterinary Soft Tissue Surgical Orthopedic Instruments Kit



Spay Pack Veterinary Instrument



No.	Product Code	Item	Specification
1	EE001-01	Mayo safety pin	
2	EE001-02	Crile Artery Forceps(Straight)	160mm
3	EE001-03	Crile Artery Forceps(Curved)	160mm
4	EE001-04	Allis Tissue Forceps	
5	EE001-05	Backhaus Towel Forces	125mm
6	EE001-06	Dressing Blunt	
7	EE001-07	Metzenbaum surper Dressing Blunt(Straight)	140mm
8	EE001-08	Metzenbaum surper Dressing Blunt(Curved)	140mm
9	EE001-09	Pin Holder With Cutter	160mm
10	EE001-10	Adson Dissecting Forceps(with Jaw)	
11	EE001-11	Adson Dissecting Forceps(with hook)	
12	EE001-12	Standard scalpel handles	3/4# (#3/#4)
13	EE001-13	Sterilization case(selective)	

No.	Product Code	Item	Specification
1	EE02-01	Mayo safety pin	
2	EE02-02	Mayo Dressing Blunt	150mm
3	EE02-03	Dressing Blunt(Curved)	160mm
4	EE02-04	Crile Artery Forceps(Curved)	145mm
5	EE02-05	Crile Artery Forceps(Straight)	160mm
6	EE02-06	Crile Artery Forceps(Straight)	125mm
7	EE02-07	Holsted mosquito(Curved)	125mm
8	EE02-08	Backhaus Towel Forces	90mm
9	EE02-09	Allis Tissue Forceps	140mm
10	EE02-10	Dissecting Forceps	
11	EE02-11	Pin Holder With Cutter	160mm
12	EE02-12	Adson Dissecting Forceps	
13	EE02-13	Standard Scalpel Handles	3/4 (#3/#4)
14	EE02-14	Canine Snook Hook	



Sickle Scaler

(Product Code)	(Specification)
FA001-01	(Length) 170mm



Very Fine Periosteal Elevator

(Product Code)	(Specification)
FA001-02	(Length) 170mm, 2/4mm



Subgingival Curette

(Product Code)	(Specification)
FA001-03	(Length) 170mm



Jaquette Supragingival Scaler

(Product Code)	(Specification)
FA001-04	(Length) 170mm



Sickle Scaler

(Product Code)	(Specification)
FA001-05	(Length) 170mm



Tartar Removing Forceps

(Product Code)	(Specification)
FA001-06	(Length) 125mm



Extraction Forceps

(Product Code)	(Specification)
FA001-07	(Length) 125mm



Fragment Extraction Forceps

(Product Code)	(Specification)
FA001-08	(Length) 140mm



Periosteal Elevator

(Product Code)	(Specification)
FA001-09	(Length) 150mm



Straight Root Tip Pick

(Product Code)	(Specification)
FA001-10	(Length) 150mm



Winged Elevator


(Product Code)	(Specification)
FA001-11	(Head width 1mm, Length 150mm)
FA001-12	(Head width 2mm, Length 150mm)
FA001-13	(Head width 3mm, Length 150mm)
FA001-14	(Head width 4mm, Length 150mm)



Minnesota Retractor

(Product Code)	(Specification)
FA001-15	155mm

Dental Instrument Kit



No.	Product Code	Description	Specification
1	FA001-01	Sickle Scaler	170mm
2	FA001-02	Very Fine Periosteal Elevator (sharp)	170mm, 2/4mm
3	FA001-03	Subgingival Curette	170mm
4	FA001-04	Jaquette Supragingival Scaler (with measure)	170mm
5	FA001-05	Sickle Scaler	170mm
6	FA001-06	Tartar Removing Forceps	125mm
7	FA001-07	Extraction Forceps	125mm
8	FA001-08	Fragment Extraction Forceps	140mm
9	FA001-09	Periosteal Elevator	150mm
10	FA001-10	Straight Root Tip Pick	150mm
11	FA001-11	Winged Elevator	1mm, 150mm
12	FA001-12	Winged Elevator	2mm, 150mm
13	FA001-13	Winged Elevator	3mm, 150mm
14	FA001-14	Winged Elevator	4mm, 150mm
15	FA001-15	Minnesota Retractor	155mm